



# AMERICAN TOOTH INDUSTRIES


1200 Stellar Drive • Oxnard, CA 93033-2404 • (805) 487-9868  
Corporate e-mail: info@americantooth.com • www.americantooth.com

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>PRODUCT NAME</b>	Justi Frame Base Powder
<b>Product Description</b>	Methacrylate Polymer
<b>Manufacturer</b>	American Tooth Industries 1200 Stellar Drive Oxnard, CA 93033 805-487-9868 Emergency Phone Number: Infotrac: 800-352-5053
<b>Recommended use</b>	Justi Frame Base Material is a specially formulated microwave-type denture base material used in processing metal framework partial dentures. Can be rapidly cured in a microwave oven. This material can withstand higher heat curing than conventional acrylics. Used only for microwave curing with the Justi Miracleflask System.
<b>Restrictions on use</b>	Industrial use only

### 2. HAZARDS IDENTIFICATION

<b>Hazard classification</b>	<b>Physical, Health, Environmental</b> Eye damage/irritation-Category 2B Reproductive toxicity-Category 2
<b>Signal Word</b>	Warning
<b>Hazard Statements</b>	H320 Causes eye irritation H361 Suspected of damaging fertility or the unborn child
<b>Symbol</b>	
<b>Precautionary statements</b>	P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood  
 P240 Ground and bond container and receiving equipment  
 P264 Wash hands and exposed skin thoroughly after handling  
 P281 Use personal protective equipment as required  
 P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing  
 P308+P313 IF exposed or concerned: Get medical advice/attention  
 P337+P313 Get medical advice/attention  
 P405 Store locked up  
 P501 Dispose of contents/container to an authorized disposal facility

**Other hazards** N/A

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Statement for unknown toxicity N/A

Chemical name Chemically Activated, Cadmium Free, Pink, Fibered, Methacrylate Polymer

Common name/synonyms N/A

Impurities and stabilizing additives\*

Chemical Name	Weight -%	CAS Number
Polymethyl Methacrylate	80-90	9011-14-7
Diethyl Phthalate	10-20	84-66-2

\*Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

### 4. FIRST AID MEASURES

**General Advice** Provide the SDS to medical personnel for treatment.

**Inhalation** Remove victim to fresh air. Seek immediate medical attention.

**Skin Contact** Rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap

and water. If irritation, redness or swelling persists, contact a physician immediately.

**Eye Contact**

If product gets in the eyes, flush with lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.

**Ingestion**

If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention immediately.

**Most important symptoms or effects, both acute and delayed:**

N/A

**Indication of immediate medical attention and special treatment needed:**

N/A

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media**

Water, Chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide.

**Unsuitable extinguishing media**

Water may not be effective in extinguishing this fire.

**Special hazards arising from substance**

Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

**Special protective equipment and Precautions for Firefighters**

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

Before cleaning any spill or leak, individuals must wear appropriate Personal Protective Equipment that is specified in section 8. Keep airborne particulates at a minimum when cleaning up spills. Deny entry to all unprotected individuals. Remove any contaminated clothing and wash thoroughly before reuse.

**Environmental precautions**

Extinguish all ignition sources. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

**Methods and materials for containment**

Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material (e.g. sand or earth). May contaminate water supply.

**Methods and materials for cleaning up**

Maximize ventilation (open doors and windows) and secure all sources of ignition. Use good, local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap. Not a RCRA Hazardous waste.

## 7. HANDLING AND STORAGE

**Handling**

Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping. Avoid prolonged contact with the product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

**Storage**

Store containers in a cool, dry location, away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat.

**Storage temperature**

The temperature should remain at or under 72°F (22°C) at all times. Storing above recommended temperature will cause product performance issues. Store in accordance with National Fire Protection Association recommendations. Observe all label precautions until the container is cleaned, reconditioned, or destroyed

**Incompatible materials**

Strong oxidizers, strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**OSHA Permissible Exposure Limits**

N/A

**ACGIH Threshold Limit Values**

5 mg/m<sup>3</sup> TWA

**Other limitations recommended by manufacturer**

5 mg/m<sup>3</sup> TWA

**Appropriate Engineering Controls**

Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Pink
<b>Odor</b>	Faint
<b>Boiling Range</b>	295°C
<b>Flash Point</b>	579 F, 304 °C
<b>Evaporation Rate</b>	N/A
<b>Upper/Lower Flammability limits</b>	0%

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable
<b>Chemical Stability</b>	Stable
<b>Hazardous Reactions</b>	Hazardous polymerization will not occur.
<b>Conditions to avoid</b>	N/A
<b>Materials to avoid</b>	Strong oxidizers
<b>Hazardous Decomposition Products</b>	Methacrylate Monomer and Oxides of Carbon when burned.

## 11. TOXICOLOGICAL INFORMATION

### Routes of Exposure

Inhalation    Eye Contact    Ingestion

### Target Organs

Eyes Central    Nervous System    Reproductive System    Skin Peripheral  
Nervous System    Respiratory System

### Effects of Overexposure

### Product Components Listed as Carcinogenic

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			No data available

## 12. ECOLOGICAL INFORMATION (If available)

### Component Ecotoxicity

Diethyl Phthalate

96 Hr LC50 Pimephales promelas: 17 mg/L [flow through]; 96 Hr LC50 Pimephales promelas: 16.8 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 22 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 16.7 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 12 mg/L [flow-through]  
48 Hr EC50 Daphnia magna: 36 - 74 mg/L; 48 Hr EC50 Daphnia magna: 86 mg/L [Static]  
72 Hr EC50 Desmodesmus subspicatus: 23 mg/L; 72 Hr EC50 Desmodesmus subspicatus: 23 mg/L [static]; 96 Hr EC50 Desmodesmus subspicatus: 21 mg/L;  
96 Hr EC50 Desmodesmus subspicatus: 21 mg/L [static]; 72 Hr EC50 Pseudokirchneriella subcapitata: 42 - 255 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 2.11 - 4.29 mg/L [static]

## 13. DISPOSAL CONSIDERATIONS (If applicable)

### Waste Treatment Methods

#### **Disposal of Wastes**

Dispose waste material in accordance with Federal, State, and Local regulations. It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Comply with all applicable federal, state and local regulations. Waste disposal options include landfilling solids at permitted sites. Incinerate in a chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.

#### **Contaminated Packaging**

Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual flammable material, associated with empty containers. Dispose of all empty containers properly, in accordance with Federal, State and Local regulations.

## 14. TRANSPORT INFORMATION (If applicable)

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT	Not Regulated, Polymer, NOS			
IATA	Not Regulated, Polymer, NOS			
IMDG	Not Regulated, Polymer, NOS			

## 15. REGULATORY INFORMATION (If available)

### State of California Safe Drinking Water and Toxic Enforcement Act of 1986

**(Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

**SARA 313**

- None

**US State Right-to-Know Regulations**

- None

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
	EINECS	Yes
	SARA Hazard categories	No
	TSCA Inventory	Yes

16. OTHER INFORMATION


Hazardous Material Information System (HMIS)

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

HMIS & NFPA Hazard Rating

Legend  
 \* = Chronic Health Hazard  
 0 = INSIGNIFICANT  
 1 = SLIGHT  
 2 = MODERATE  
 3 = HIGH

National Fire Protection Association (NFPA)



Date of Revision: 12/07/15

American Tooth Industries believes that the information and recommendations contained herein (including data and statements) are accurate as of date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of American Tooth Industries expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.