

VIFORM[®]

mold chart

Justi[®]

*The Inventors of
Hardened Plastic
Teeth.*



Anterior & Posterior Hardened Plastic Teeth













































Highly Cross-linked / Intersectional Polymer Network
Wear Resistant • Vacuum Processed • Fluorescent / Photogenic
Justi[®] ViForm[®] Hardened Plastic Teeth Comply with ISO#22112:2005
and ANSI / ADA Specification #15 published in 1999, identical to
ISO#3336:1993.

CE
0482

MED/CERT
ISO 13485:2003



JUSTI VIFORM® ANTERIORS - 27 UPPER MOLDS

| | | | | | | | |
|-------------------------|---|---|---------------------------------|-------------------------|--|---|---------------------------------|
| A4 10.0 8.3 |  |  | 4 49.0 43.78 () — | D6 12.0 9.0 |  |  | 6 54.0 47.68 () — |
| A7 10.0 8.8 |  |  | 7 52.5 46.98 () — | E1 9.3 7.3 |  |  | 1 45.0 39.86 () — |
| B3 9.5 8.0 |  |  | 3 49.0 42.30 () — | E2 10.0 7.8 |  |  | 2 46.5 41.31 () — |
| B8 11.3 8.8 |  |  | 8 54.0 47.09 () — | E3 10.5 8.3 |  |  | 3 50.0 43.29 () — |
| C1 10.0 7.5 |  |  | 1 45.0 40.30 () — | E6 10.0 8.5 |  |  | 6 52.0 46.01 () — |
| C2 10.8 8.0 |  |  | 2 47.5 41.75 () — | E8 11.0 8.8 |  |  | 8 55.0 48.90 () — |
| C5 11.8 8.8 |  |  | 5 51.0 45.51 () — | F1 8.5 7.8 |  |  | 1 46.0 39.29 () — |
| C6 10.8 8.5 |  |  | 6 51.0 43.76 () — | F4 9.0 8.5 |  |  | 4 50.0 43.75 () — |
| D1 10.0 7.5 |  |  | 1 45.0 38.36 () — | G5 10.5 8.8 |  |  | 5 51.5 44.78 () — |
| D2 10.0 8.0 |  |  | 2 47.0 42.24 () — | G7 10.8 8.8 |  |  | 7 54.0 47.43 () — |
| D3 10.5 8.3 |  |  | 3 49.0 43.44 () — | H2 10.0 8.0 |  |  | 2 47.5 41.06 () — |

Photographs of teeth are within plus or minus 3% of actual size.

JUSTI VIFORM® ANTERIORS - 27 UPPER MOLDS

| | | | | |
|------------|--|--|----------|------------|
| H4 | | | 4 | 51.0 44.67 |
| 10.5 8.3 | | | | |
| J5 | | | 5 | 53.0 47.14 |
| 11.5 9.0 | | | | |
| J2 | | | 2 | 46.5 40.75 |
| 10.0 7.8 | | | | |
| K4 | | | 4 | 49.5 43.90 |
| 10.8 8.0 | | | | |
| J3 | | | 3 | 48.0 42.68 |
| 10.0 8.0 | | | | |

MOLD CLASSIFICATION SYMBOLS:

SQUARE
 TAPERING
 OVOID

Combined Symbols
 TAPERING OVOID TYPE

HOW TO READ THE VIFORM® MOLD CHART MEASUREMENTS

| UPPER ANTERIORS | LOWER ANTERIORS | POSTERIOURS |
|--|-----------------|-------------|
| <p>Mold Number A4</p> <p>Width of Central 10.0 Length of Central Without Collar 8.3</p> <p>ARTICULATES TO 4</p> <p>Suggested Articulation to Lower Anteriors</p> <p>Width of 6 Upper Anteriors on a Flat 49.0 Width of 6 Upper Anteriors on a Curve 43.78</p> <p>Profile of Left Central</p> <p>Width of 6 Lower Anteriors on a Flat 36.0 Width of 6 Lower Anteriors on a Curve 29.86</p> <p>Length of Central Without Collar 8.8 4.5</p> <p>Profile of Left Central</p> <p>Width of 6 Upper Posteriors 28.7 Width of 6 Lower Posteriors 31.2</p> <p>Profile of Ist Premolar</p> <p>A - Straight line measurement of 4 upper posteriors.</p> <p>B - Straight line measurement of 4 lower posteriors.</p> <p>Mold Number 29</p> <p>Total Width Upper (A) 28.7</p> <p>Total Width Lower (B) 31.2</p> <p>Width of Ist Upper Molar 6.69</p> <p>Width of Ist Lower Molar 8.15</p> | | |

Tooth measurements are within plus or minus 5% of stated value.

HOW TO READ THE VIFORM® TOOTH CARD MEASUREMENTS

| | |
|--|---|
| <p>Shade Number 66/B2</p> <p>Width of 6 Upper Anteriors on a Curve 54.0</p> <p>VIFORM</p> <p>Mold Number G7</p> <p>Mold Classification G7</p> <p>Width of Central 10.8 Length of Central Without Collar 8.8</p> | <p>Shade Number 59/A1</p> <p>VIFORM</p> <p>Mold Number UPPER 29Z</p> <p>Mesial/Distal Measurement of Posterior Quadrant 28.7</p> |
|--|---|

JUSTI VIFORM® ANTERIORS - 8 LOWER MOLDS

| | | | | |
|-----------|--|--|---------------------------------|------------|
| 1 | | | C1, D1 E1, F1 | 34.5 30.29 |
| 9.0 4.8 | | | | |
| 2 | | | C2, D2 E2, H2 J2 | 36.0 29.86 |
| 8.8 4.5 | | | | |
| 3 | | | B3, D3 E3, J3 | 37.0 30.17 |
| 8.3 4.8 | | | | |
| 4 | | | A4, F4 H4, K4 | 38.0 31.07 |
| 9.0 4.8 | | | | |
| 5 | | | C5, G5 J5 | 40.0 32.80 |
| 9.8 5.3 | | | | |
| 6 | | | C6, D6 E6 | 39.5 33.32 |
| 8.5 5.3 | | | | |
| 7 | | | A7, G7 | 41.0 33.38 |
| 9.5 5.0 | | | | |
| 8 | | | B8, E8 | 41.5 35.77 |
| 9.3 5.5 | | | | |

JUSTI VIFORM® POSTERIOR - 12 UPPER & 12 LOWER MOLDS

0° POSTERIOR - 2 UPPERS & LOWERS

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 29 Z | | | 6.69 |
| 28.7 | | | 8.15 |
| 31.2 | | | |

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 31 Z | | | 6.60 |
| 30.5 | | | 7.62 |
| 33.0 | | | |

10° POSTERIOR - 3 UPPERS & LOWERS

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 30 F | | | 8.41 |
| 30.0 | | | 9.04 |
| 33.0 | | | |

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 32 F | | | 8.72 |
| 31.0 | | | 9.63 |
| 33.5 | | | |

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 33 F | | | 9.15 |
| 32.0 | | | 10.17 |
| 34.0 | | | |

20° POSTERIOR - 4 UPPERS & LOWERS

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 29 L | | | 7.94 |
| 29.1 | | | 8.51 |
| 31.5 | | | |

20° POSTERIOR - 4 UPPERS & LOWERS (CONTINUED)

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 29 M | | | 7.66 |
| 29.1 | | | 8.49 |
| 31.5 | | | |

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 31 M | | | 8.10 |
| 31.1 | | | 9.36 |
| 33.5 | | | |

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 33 M | | | 8.38 |
| 33.1 | | | 9.58 |
| 35.5 | | | |

33° POSTERIOR - 3 UPPERS & LOWERS ANATOMICAL MEDIUM

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 30 M | | | 8.92 |
| 29.9 | | | 9.33 |
| 32.9 | | | |

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 32 M | | | 8.88 |
| 31.9 | | | 9.47 |
| 35.9 | | | |

| | | Profile of Premolar | Width U/L 1st Molar |
|-------------|--|---------------------|---------------------|
| 34 M | | | 10.02 |
| 34.0 | | | 10.67 |
| 38.0 | | | |

ViForm® Order Form

Order # _____ Date _____
 Customer # _____ Class _____ Division _____
 Bill To _____
 Address _____
 City, State, Zip _____
 Phone # _____ Fax # _____
 Ship To _____
 Address _____
 City, State, Zip _____

1x6 **UPPER ANTERIORS 27 MOLDS** _____ Boxes

| SHADES | | | | | | | | | | | | |
|-------------|-------|-------|-------|---------|-------|-------|-------|-------|-------|-------|----|----|
| ViFORM VITA | 59 A1 | 62 A2 | 65 A3 | 70 A3.5 | 81 A4 | 20 B1 | 66 B2 | 77 B4 | 45 C1 | 69 C2 | C3 | D4 |
| MOLDS A4 | | | | | | | | | | | | |
| A7 | | | | | | | | | | | | |
| B3 | | | | | | | | | | | | |
| B8 | | | | | | | | | | | | |
| C1 | | | | | | | | | | | | |
| C2 | | | | | | | | | | | | |
| C5 | | | | | | | | | | | | |
| C6 | | | | | | | | | | | | |
| D1 | | | | | | | | | | | | |
| D2 | | | | | | | | | | | | |
| D3 | | | | | | | | | | | | |
| D6 | | | | | | | | | | | | |
| E1 | | | | | | | | | | | | |
| E2 | | | | | | | | | | | | |
| E3 | | | | | | | | | | | | |
| E6 | | | | | | | | | | | | |
| E8 | | | | | | | | | | | | |
| F1 | | | | | | | | | | | | |
| F4 | | | | | | | | | | | | |
| G5 | | | | | | | | | | | | |
| G7 | | | | | | | | | | | | |
| H2 | | | | | | | | | | | | |
| H4 | | | | | | | | | | | | |
| J2 | | | | | | | | | | | | |
| J3 | | | | | | | | | | | | |
| J5 | | | | | | | | | | | | |
| K4 | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | |

1x6 **LOWER ANTERIORS 8 MOLDS** _____ Boxes

| SHADES | | | | | | | | | | | | |
|-------------|-------|-------|-------|---------|-------|-------|-------|-------|-------|-------|----|----|
| ViFORM VITA | 59 A1 | 62 A2 | 65 A3 | 70 A3.5 | 81 A4 | 20 B1 | 66 B2 | 77 B4 | 45 C1 | 69 C2 | C3 | D4 |
| MOLDS 1 | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | |

Viform® Products



ITEM # 084-50-0125 DESCRIPTION Shade Guide
 084-50-0110 Working Mold Guide (35 anteriors/ 24 posteriors/ all in one shade)
 084-50-0111 Working Mold Guide (35 anteriors/all in one shade)
 086-55-0101 Tooth Cabinet with 10 drawers
 Capacity: 240 Anterior and/or Posterior sets

1x8 **UPPER POSTERIORS 12 MOLDS** _____ Boxes

| SHADES | | | | | | | | | | | | |
|------------------------------|-------|-------|-------|---------|-------|-------|-------|-------|-------|-------|----|----|
| ViFORM VITA | 59 A1 | 62 A2 | 65 A3 | 70 A3.5 | 81 A4 | 20 B1 | 66 B2 | 77 B4 | 45 C1 | 69 C2 | C3 | D4 |
| 0° | | | | | | | | | | | | |
| MOLDS 29Z | | | | | | | | | | | | |
| 31Z | | | | | | | | | | | | |
| 10° | | | | | | | | | | | | |
| 30F | | | | | | | | | | | | |
| 32F | | | | | | | | | | | | |
| 33F | | | | | | | | | | | | |
| 20° | | | | | | | | | | | | |
| 29M | | | | | | | | | | | | |
| 29L | | | | | | | | | | | | |
| 31M | | | | | | | | | | | | |
| 33M | | | | | | | | | | | | |
| 33° Anatomical Medium | | | | | | | | | | | | |
| 30M | | | | | | | | | | | | |
| 32M | | | | | | | | | | | | |
| 34M | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | |

1x8 **LOWER POSTERIORS 12 MOLDS** _____ Boxes

| SHADES | | | | | | | | | | | | |
|------------------------------|-------|-------|-------|---------|-------|-------|-------|-------|-------|-------|----|----|
| ViFORM VITA | 59 A1 | 62 A2 | 65 A3 | 70 A3.5 | 81 A4 | 20 B1 | 66 B2 | 77 B4 | 45 C1 | 69 C2 | C3 | D4 |
| 0° | | | | | | | | | | | | |
| MOLDS 29Z | | | | | | | | | | | | |
| 31Z | | | | | | | | | | | | |
| 10° | | | | | | | | | | | | |
| 30F | | | | | | | | | | | | |
| 32F | | | | | | | | | | | | |
| 33F | | | | | | | | | | | | |
| 20° | | | | | | | | | | | | |
| 29M | | | | | | | | | | | | |
| 29L | | | | | | | | | | | | |
| 31M | | | | | | | | | | | | |
| 33M | | | | | | | | | | | | |
| 33° Anatomical Medium | | | | | | | | | | | | |
| 30M | | | | | | | | | | | | |
| 32M | | | | | | | | | | | | |
| 34M | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | |

Anterior Cards
 (1 X 6) 8 cards/box ITEM # 083-50-0100

| | |
|-----------------------------|--|
| TOTAL Upper Anteriors 1 x 6 | |
| TOTAL Lower Anteriors 1 x 6 | |
| GRAND TOTAL Anteriors 1 x 6 | |

Posterior Cards
 (1 X 8) 8 cards/box ITEM # 083-50-0101

| | |
|------------------------------|--|
| TOTAL Upper Posteriors 1 x 8 | |
| TOTAL Lower Posteriors 1 x 8 | |
| GRAND TOTAL Posteriors 1 x 8 | |

* Upon request we can manufacture ViForm in Shade B3-C4-D2-D3, for quantity and terms please inquire.



VIFORM®
MAXILLARY CENTRALS SHADE GUIDE Item # 084-50-0125

The 12 most popular Vita® shades are utilized in the ViForm® tooth line and are provided in a shade guide as an accessory to the ViForm® molding system. This combination of popular shades and outstanding popular American molds make this hardened plastic tooth line unique in the U.S. and foreign markets. The shade tabs are held in a blue frame with an Eterna® shield (U.S. patent #5,257,931) which allows the technician to view the tooth shades on a neutral background. The ViForm® shade guide comes in the following shades: 59/A1, 62/A2, 65/A3, 70/A3.5, 81/A4, 20/B1, 66/B2, 77/B4, 45/C1, 69/C2, C3 and D4. It is recommended that the shade guide be sterilized in an acid or alkaline gluteraldehyde solution. This shade guide can be customized with a marketing message, in batches of 30 for laboratories and clinics.

Upon request we can manufacture ViForm in Shade B3-C4-D2-D3, for quantity and terms please inquire.

VIFORM® Articulation Chart

ANTERIORS

POSTERIORIS

| UPPER MOLDS | ARTICULATES LOWER ANTERIORS | ZERO DEGREE Z | 10 DEGREE F | 20 DEGREE | ANATOMICAL MEDIUM |
|-------------|-----------------------------|---------------|-------------|-----------|-------------------|
| A4 | 4 | 31 | 32 | 29L | 30 |
| A7 | 7 | 31 | — | 33M | 32 |
| B3 | 3 | 31 | 32 | 31M | 30 |
| B8 | 8 | 31 | — | 33M | 32 |
| C1 | 1 | 29 | 30 | 29L | 30 |
| C2 | 2 | 29 | 30 | 29L | 30 |
| C5 | 5 | 31 | 32 | — | 32 |
| C6 | 6 | 31 | 32 | — | 32 |
| D1 | 1 | 29 | 30 | 29M | 30 |
| D2 | 2 | 31 | 32 | — | 30 |
| D3 | 3 | 31 | 32 | 29L | 30 |
| D6 | 6 | — | 33 | — | 34 |
| E1 | 1 | 29 | 30 | 29L | 30 |
| E2 | 2 | 31 | 30 | 29L | 30 |
| E3 | 3 | 31 | 32 | — | 30 |
| E6 | 6 | 31 | 32 | — | 32 |
| E8 | 8 | — | 33 | — | 32 |
| F1 | 1 | 29 | 30 | 29L | 30 |
| F4 | 4 | 31 | — | 31M | 30 |
| G5 | 5 | 31 | 32 | — | 32 |
| G7 | 7 | 31 | 32 | — | 32 |
| H2 | 2 | 31 | 30 | 29L | 30 |
| H4 | 4 | 31 | 32 | — | 30 |
| J2 | 2 | 29 | 32 | 29L | 30 |
| J3 | 3 | 29 | 32 | — | 30 |
| J5 | 5 | 31 | 33 | — | 32 |
| K4 | 4 | 31 | — | 29L | 30 |

INSTRUCTIONS FOR USE OF SYNTHETIC RESIN TEETH

If you would like written instructions for obtaining optimum results with our teeth, contact:

JUSTI® HOLLYWOOD TEETH®
MARKETING SERVICES DEPARTMENT - LITERATURE

1200 Stellar Dr. • Oxnard CA 93033-2404 • Toll Free (800) 235-4639 • P (805) 487-9868

Anterior Mold Comparison

With Dentsply's Tooth Brands

| VIFORM® | BIOFORM® BIOBLEND® IPN, BIOBLEND®, PORTRAIT® & TRUBLEND®* | VIFORM® | BIOFORM® BIOBLEND® IPN, BIOBLEND®, PORTRAIT® & TRUBLEND®* |
|---------------|---|---------------|---|
| UPPERS | | UPPERS | |
| A4 | 12E* | F4 | 43F* |
| A7 | 12G | G5 | 45F |
| B3 | 32E* | G7 | 45H* |
| B8 | 32G* | H2 | 55D* |
| C1 | 21C | H4 | 55F |
| C2 | 21D* | J2 | 62D* |
| C5 | 21E* | J3 | 55D* |
| C6 | 21X* | J5 | 62G* |
| D1 | 22C* | K4 | 75E* |
| D2 | 13E* | LOWERS | |
| D3 | 22E* | 1 | C* |
| D6 | 22H | 2 | F* |
| E1 | 42C* | 3 | H* |
| E2 | 42D* | 4 | N* |
| E3 | 42F* | 5 | O* |
| E6 | 42G* | 6 | P* |
| E8 | 42H | 7 | R* |
| F1 | 43D | 8 | S* |

* Bioform molds with an asterisk are also Trublend molds.

Shade Comparison

With Major Brands

| COLOR BLEND | ViFORM®/ ETERNA® Anterior & Posterior | BIOBLEND® Anterior | BIOFORM® Anterior & Posterior | VITA® Anterior & Posterior | TRUBLEND® Anterior & Posterior |
|--------------|--|-----------------------|----------------------------------|-------------------------------|-----------------------------------|
| White/Gray | 59/A1 | 100 | B51/B59 | A1 | T2 |
| White/Gray | 62/A2 | 102 | B53/B62 | A2 | T10 |
| Gray/Pink | 65/A3 | 106 | B54/B65 | A3 | T15 |
| Gray/Brown | 70/A3.5 | 114 | B70/B81 | A3.5 | T19 |
| Gray/Brown | 81/A4 | 116/118 | B81/B84 | A4 | T20 |
| White/Gray | 20/B1* | 100 | WATER TONER B59 | B1 | T2 |
| Yellow/Brown | 66/B2 | 102/104 | B52/B66 | B2 | T22 |
| Gray/Brown | 77/B4 | 112 | B56/B77 | B4 | T23 |
| Gray | 45/C1* | 100 | B91 | C1 | T9 |
| Gray | 69/C2 | 110 | B69/B94 | C2 | T6 |
| Gray | C3 | 113 | B95 | C3 | T7 |
| Gray/Brown | D4 | 110 | B69 | D4 | T5 |

This shade comparison chart is to be used in selecting approximate color matches. Slight variations occur due to the difference in the texture and character of the respective materials. This chart should be used as an aid to the skill and preferences of the dentist or technician who must make the final shade choice.

*This shade is based on the Justi Eterna® Series Shade Guide System.

MANUFACTURED IN THE USA BY AMERICAN TOOTH INDUSTRIES



1200 Stellar Drive, Oxnard, CA 93033-2404
(805) 487-9868 • FAX (805) 483-8482

E-mail: info@americantooth.com • Website: www.americantooth.com